

29.11.2004

NL0300864

29. NOV. 2004 10:01

VRIESENDORP & GADE

NR. 018 P. 3

10/537759

JC17 Rec'd PCT/PTO 06 JUN 2005

Claims (Amended)

1. System for withdrawing liquid, in particular water, from a soil area, such as for consolidating it, comprising a series of spaced apart draining means extending downwardly, in particular substantially vertically, in the soil and a substantially horizontally extending drainage line, which is arranged in the soil for receipt of the soil fluid passed through the downwardly extending drainage means and which in a transitional area in a border area of the soil area to be treated, such as to be consolidated, changes into a pump line which leads to a pump positioned outside of the soil area to be treated, an oversize of line length being provided in the transitional area prior to making the system operational, the oversize being designed as a slide connection with an overlap between two line ends that are inserted into each other.
2. System according to claim 1, the oversize having at least a length which at a minimum is adjusted to the expected settlement.
3. System according to claim 1 or 2, the transitional area being situated near the outermost downwardly extending drainage means.
4. System according to claim 1, 2 or 3, the line ends being formed by a discharge end of the drainage line and a receiving end of the pump line, which at the location of the slide connection can be slid into each other and forming an overlap at that location.
5. System according to claim 4, the receiving end of the pump line being slidably accommodated in the discharge end of the drainage line.

AMENDED SHEET

Empf.zeit:29/11/2004 09:58

Empf.nr.:878 P.003

- 2 -

5 6. System according to claim 4 or 5, the slide connection comprising a sleeve part and a clamping part for securing the discharge end of the drainage line to the sleeve part by clamping about it, the sleeve part slidably holding the receiving end of the pump line.

10 7. System according to claim 6, a sealing being arranged between the sleeve part and the receiving end of the pump line.

15 8. System according to any one of the preceding claims, the slide connection being provided with a limiter which is active in the direction of mutual approach of the discharge end of the drainage line and the receiving end of the pump line.

20 9. System according to any one of the preceding claims, the discharge end being detachably attached to the end of a drainage line, such as by means of a snap connection.

25 10. System according to claim 9, the slide connection being accommodated within a sleeve that is part of the discharge end.

11. System according to any one of the preceding claims, wherein the downwardly extending drainage means are elongated and spaced from each other.

30 12. System according to claim 11, wherein the downwardly extending drainage means are formed by drainage strips/ribbons.

35 13. System according to any one of the preceding claims, wherein the horizontal extending drainage line is covered by an air sealing layer.

- 3 -

14. Assembly for withdrawing liquid, in particular water, from a soil area for consolidating it, comprising a number of systems according to any one of the preceding claims, which each are connected to a central pump with their own pump line.

5

15. Assembly for withdrawing liquid, in particular water, from a soil area for removing substances from the soil area, comprising a number of systems according to any one of the claims 1-13, which each are connected to a central pump with their own pump line.

10

16. System for withdrawing water from a soil area, provided with one or more of the characterising measures described in the attached description and/or shown in the attached drawings.

15